

01 ROOF PLAN
 SCALE: 1/8"=1'-0"

- ROOF NOTES:**
- ALL DETAILS, RELATING TO THE ROOFING SYSTEM, REGARDLESS AS TO HOW THEY MAY BE INDICATED ON THESE CONTRACT DOCUMENTS, MUST BE APPROVED BY THE ROOFING MANUFACTURER SO AS TO OBTAIN THE REQUIRED GUARANTEE AS INDICATED IN THE PROJECT MANUAL. DISCREPANCIES SHALL NOT BE CAUSE FOR MODIFICATION TO THE CONTRACT SUM.
 - TAPERED INSULATION TO BE LOCATED & INSTALLED FOR EFFICIENT ROOF SURFACE DRAINAGE OF ROOF THRU SCUPPERS AND OVERFLOW SCUPPERS AND AT ALL ROOF EQUIP. CURBS, ROOF DRAINS AND ROOF OVERFLOW DRAINS.
 - INDICATES SLOPE OF ROOF.
 - ROOF TOP EQUIPMENTS AND CURBS FURNISHED BY G.C., CURBS SHALL BEAR DIRECTLY ON STRUCT. STL., NOT ON MTL. DECK. MECH. UNITS MUST SIT LEVEL-N.I.C.
 - ALL PIPES, CONDUITS, EXPOSED STL., AND ROOF HATCHES ABOVE ROOF ARE TO BE (3) COAT PAINTED. COLOR TO BE SELECTED.
 - "X" INDICATES LOCATION OF INTERIOR ST. COLUMNS.
 -  INDICATES ROOF WALK ZONE FOR FUTURE MAINTENANCE OF ROOF TOP UNITS.
 - REINFORCED SINGLE PLY ROOFING REFER TO SPECIFICATIONS FOR BASE BID AND ALTERNATE ROOFING MATERIALS, ROOFING TYPE AND PRICING INFORMATION.
 - ALL ROOFING CHANGES & PENETRATIONS ARE TO BE DONE IN ACCORDANCE WITH APPROVED ROOF MANUFACTURER'S ROOFING DETAILS FOR ROOFING SYSTEM(S) INSTALLED

NOT FOR CONSTRUCTION

FACE UPLIFT AND INTERIOR FINISH OUT
MASJID
 ISLAMIC ASSOCIATION OF FORT WORTH
 AT 4500 COLUMBUS TRAIL, FORT WORTH, TEXAS 76133

This document, whether in hard copy or electronic readable format, is copyrighted and an instrument of Services rendered in the project for which it was prepared. This document is not intended or authorized for reuse by any party on extension of such project or any other project. Any reuse, including copying, modifying, or otherwise using this document, without written permission from the Designer for the specific purpose intended is a violation of copyright law. Unauthorized use of this material may result in civil and/or criminal penalties.

Sheet Number:
A501
 Project Number:
 17-041

Original Date:
 JUNE 22, 2017
 Issue Log
 ISSUED FOR REVIEW 06/30/2017
 ISSUED FOR REVIEW 07/05/2017
 ISSUED FOR REVIEW 07/08/2017
 ISSUED FOR REVIEW 07/08/2017
 ISSUED FOR REVIEW 08/02/2017
 ISSUED FOR PERMIT 08/07/2017
 OWNERS COMMENT 10/05/2017

DRAWN BY: AK
 CHECKED BY: MFK
 COPYRIGHT

FFK DESIGN
 400 chisholm place
 plano, texas 75075
 972-424-1325 (W)
 469-258-9322 (C)
 email: fahim2582@aol.com
 web: fkr-architect.com